

# STARLIGHT AIRLINES

Address: Iraq 1 Erbil 1 Dream City (NO 1176)

Mob: +9647501447480

Email: [erbil@starlightmaritime.com](mailto:erbil@starlightmaritime.com)

20-Jan-2022

## PROOF OF DELIVERY

### CONSIGNEE:

DNO IRAQ AS

Tawke, Iraq

Mr. Warbin/Mr. Saleem

Tawke Project Warehouse Material controller

Phone number: 0751 800 4743

QTY	DESCRIPTION	REMARKS
6 trailers	BL #HLCUDX3211228042 // CNTR #HLBU1253559 - TCLU4427961 - UACU8596439 - HLXU5307650 - XINU4038999	114065 kg
	DQ 3304: TWK-FD-28114 // PRJ-2021-0026 Starlight Airlines Online Cables Electrical Bulk Materials	
	Oilfield parts	

Received by: Warbin H. Ahmed Phone No. 0751 8004743



Signature: [Signature] Date: 22/01/2022






# PACKING LIST

SHIPPER :  
Online Cables DMCC  
Unit 15-PF-17 Gold Tower  
Cluster 1, Jumeirah Lake Towers  
Dubai  
United Arab Emirates

INVOICE NO : CI-DQ3304-01  
DATE : 12-Dec-21  
VENDOR NAME : ONLINE CABLES DMCC  
DNO P.O. NO. : TWK-FD-28114  
SHIPPING TERMS : EXW DUBAI

CONSIGNEE :  
DNO COMPANY  
MINISTRY OF NATURAL RESOURCES  
EMPIRE BUSINESS COMPLEX  
BUILDING C2, 3RD FLOOR  
ERBIL, IRAQ

P.O. ITEM NO.  SEE BELOW

TOTAL NO. OF PACKAGES : 99 packages  
TOTAL GROSS WEIGHT (KG) : 114,065.32 KG  
TOTAL NET WEIGHT (KG) : 113,124.32 KG  
TOTAL VOLUME (M3) : See below PL

MODE OF TRANSPORT : Sea  
PORT OF LOADING : Jebel Ali  
PORT OF DISCHARGE : ERBIL, KURDISTAN  
FINAL DESTINATION : TAWKE CPF, KURDISTAN, IRAQ

PKG NO.	PO ITEM NO.	Part ID	MATERIAL DESCRIPTION	QTY (UOM)	DIMENSION (IN CMS)			NET WT KG	GROSS WT KG	PACKING TYPE
					LENGTH	WIDTH	HEIGHT			
1	1	12-112-6580	0.8/1Kv 3CX2.5MM Cu (C12)XLPE/SWA/PVC DUCAB	240	80	60	80	82.32	127.32	DRUM
2	33	27-105-2419	450/750V 1CX25MM Cu(C12)PVC 70 Deg Y/G DUCAB	240	40	30	40	67.20	87.20	DRUM
3	34	27-105-2419	450/750V 1CX70MM Cu(C12)PVC 70 Deg Y/G DUCAB	240	70	50	70	172.80	208.80	DRUM
5	37	27-107-2461	450/750V 1CX188MM Cu(C12)PVC 70 Deg Y/G DUCAB	240	100	70	100	466.00	518.00	DRUM
6	3	12-112-6644	ANC6SFPBK23-305 MT-PE CAT 6 S/FTP,23 AWG OUTDOOR Cable ROLL 4 PAIRS -Solid PE (1 roll/305 mtr)	1	80	95	70	77.00	86.00	PALLET
	3	12-112-6644	ANC6SFPBK23-305 MT-PE CAT 6 S/FTP,23 AWG OUTDOOR Cable ROLL 4 PAIRS -Solid PE (1 roll/305 mtr)	1						
	3	12-112-6644	ANC6SFPBK23-305 MT-PE CAT 6 S/FTP,23 AWG OUTDOOR Cable ROLL 4 PAIRS -Solid PE (1 roll/305 mtr)	1						
	4	12-112-6645	ANC7 RJ45 CAT RJ 45 SHIELDED CONNECTORS	1						
		12-112-6645	ANC7 RJ45 CAT RJ 45 SHIELDED CONNECTORS	1						
		12-112-6645	ANC7 RJ45 CAT RJ 45 SHIELDED CONNECTORS	1						
		12-112-6645	ANC7 RJ45 CAT RJ 45 SHIELDED CONNECTORS	1						
	22	27-100-4021	SES Sterling Black 35mm Cable GrommetPartEdge protector	1						
	9	27-100-3940	WARNING TAPE YELLOW DTH : 6 INCH; (SUPPLY IN ROLL OF 200 MTRS) - 6 rolls of 200 mtr	1080						
	19	27-100-4012	3C x 120 mm2 CU/XLPE/GSWA/PVC TERMINATION KITS 12 to 17.5kv Heat Shrink Indoor Termination Kit suitable for 3C x 120sqmm XLPE Cu Tape Shield Cable Complete with Right angle boots & 3nos Copper crimp Lugs P/N EPKT 17C3XIH1-B10-D312-AE01	4						
		27-100-4012	3C x 120 mm2 CU/XLPE/GSWA/PVC TERMINATION KITS 12 to 17.5kv Heat Shrink Indoor Termination Kit suitable for 3C x 120sqmm XLPE Cu Tape Shield Cable Complete with Right angle boots & 3nos Copper crimp Lugs P/N EPKT 17C3XIH1-B10-D312-AE01	4						
		27-100-4012	3C x 120 mm2 CU/XLPE/GSWA/PVC TERMINATION KITS 12 to 17.5kv Heat Shrink Indoor Termination Kit suitable for 3C x 120sqmm XLPE Cu Tape Shield Cable Complete with Right angle boots & 3nos Copper crimp Lugs P/N EPKT 17C3XIH1-B10-D312-AE01	4						
		27-100-4019	Cable Tie, Stainless Steel and PVC, 4.6 x 500MM, Black Part ID : 27-100-4018 SS - BLCT4652	1						





PKG NO.	PO ITEM NO.	Part ID	MATERIAL DESCRIPTION	QTY (UOM)	DIMENSION (IN CMS)			NET WT KG	GROSS WT KG	PACKING TYPE
					LENGTH	WIDTH	HEIGHT			
7	20	27-100-4020	Cable Tie, Stainless Steel and PVC, 4.6 x 250MM, Black Part ID : 27-100-4019 SS - BLCT4626	1	95	90	105	90.00	105.00	PALLET
	21	27-100-4021	Cable Tie, Nylon 66, 7.6 x 500MM, Black and White Part ID : 27-100-4020 BNT7650 - 24.75	1						
	36	27-105-2445	EARTH CONNECTIONS/ TERMINATIONS - SECTION 70 MM² TO 70 MM², TERMINATION TO EQUIPMENT AND STRUCTURES Part ID : 27-105-2445 CC2S7070 — CC-2 70X70 TEE MOLD (1EA) SPW090 — 90 GRM WELD POWDER (2EA)	2						
	38	27-105-2482	Cad weld connections below ground 70 mm² to 70 mm² (3 way) Part ID : 27-105-2482 CC2S7070 — CC-2 70X70 TEE MOLD (1EA) SPW090 — 90 GRM WELD POWDER (14EA)	14						
	39	27-105-2483	Cad weld connections below ground 185 mm² to 185 mm² (3 way) Part ID : 27-105-2483 CC-2 185 X 185 TEE MOLD (1EA) 200 GRM WELD POWDER (2EA)	2						
	26 & 27 Accessories		TALCC-150-20-HG Coupler for Ladder-150mm Height x2.0mm.thk-HDGAF RBHNRW-A4-06/16 Roofing Bolt-SS 316-M-06x16mm long 1 no Hex Nut-SS 316-M-06 1 no Round Washer-SS 316-M-06 1 no	64						
	26 & 27 Accessories		HDGAF RBHNRW-A4-06/16 Roofing Bolt-SS 316-M-06x16mm long 1 no Hex Nut-SS 316-M-06 1 no Round Washer-SS 316-M-06 1 no	512						
8	26	27-101-2805	Part ID 27-101-2805 TL-150-06-20-30-HG — PPOWERTRACK Cable Ladder-HDGAF-150x150x3 mtr-2.0mm.thk	10	300	95	95	456	458	BUNDLE
	27	27-101-2806	Part ID 27-101-2806 TL-150-36-20-30-HG — POWERTRACK Cable Ladder-HDGAF-150x900x3	10						
	30	27-101-2809	Part ID 27-101-2809 TFL-150-N-06-20-HG Flat Bend 90 Deg for Ladder-HDGAF-150x150x2.0mm.thk	6						
9	27	27-101-2806	Part ID 27-101-2806 TL-150-36-20-30-HG — POWERTRACK Cable Ladder-HDGAF-150x900x3	12	300	95	105	384	385	BUNDLE
	29	27-101-2808	TFL-150-B-36-20-HG Outside Bend (Riser) 90 Deg for Ladder-HDGAF-150x900x2.0mm.thk	6						
10	28	27-101-2807	TFL-150-N-36-20-HG Flat Bend 90 Deg for Ladder-HDGAF-150x900x2.0mm.thk	6	170	100	102	167	168	BUNDLE
	31	27-101-2810	TFL-150-UT-36/36/06-20-HG Unequal Tee for Ladder-HDGAF-150x900-900-150x2.0mm.thk	6						
11	8	27-100-3456	RS005 16X1200MM STAINLESS STEEL EARTH ROD (24EA) CG005 INTERNAL COUPLING DOWEL,SS (16 EA) ST010 15MM DRIVING STUD (8EA) SP010 15MM SPIKE (8EA)	8	140	122	100	250	280	Wooden Crate
	14	27-100-4013	GWS3225AP840 SMART3 1200 EMERG DT1+DT6 HE OPAL 8 40	6						
	15	27-100-4014	GWS3222AP840 SMART3 1200 T.W.ON/OFF HE OPAL 8 40	6						
	32	27-105-2109	CM015 BENTONITE, 25 KG	17						
	35	27-105-2435	LK207-12 12 WAYS 50X6X900MM CU E/BAR UPVC BASE DOUBLE DL	12						
12	23	27-100-4022	20mm Conduit Heavy- 3m - Black DCV2 BLACK — DECODUCT	4	140	122	100	40	45	Wooden Crate





PKG NO.	PO ITEM NO.	Part ID	MATERIAL DESCRIPTION	QTY	DIMENSION (IN CMS)			NET WT	GROSS WT	PACKING TYPE
				(UOM)	LENGTH	WIDTH	HEIGHT	KG	KG	
13	7	27-100-3619	Cable Termination Glands(Nickel plated brass double compression cable glands c/w sealing washer, Brass lock nut, earth tag and PVC shroud ) M 32 Explosion Proof - Ex'd Type OS-E1UF 32 M32 - OSG Korea	33	80	105	150	125.00	135.00	PALLET
	8	27-100-3623	Cable Termination Glands(Nickel plated brass double compression cable glands c/w sealing washer, Brass lock nut, earth tag and PVC shroud ) M 90 Explosion Proof - Ex'd Type OS-E1UF 90 M90 - OSG Korea	40						
	11	27-100-3950	Nickel plated brass double compression cable glands c/w sealing washer, Brass lock nut, earth tag and PVC shroud M 20 Normal Industrial Type Glands. OS-E1UF 20 M20 - OSG Korea	33						
	12	27-100-3952	Nickel plated brass double compression cable glands c/w sealing washer, Brass lock nut, earth tag and PVC shroud M 25 Hazardous, Exd Type OS-E1UF 25 M25 - OSG Korea	33						
14	5	12-112-6646	24F SM G.652D Double Sheathed Steel Tape Armored Fiber Optic Cable.OMAN FIBER	2400	180	100	180	445.00	723.00	DRUM
15	2	12-112-6643	Lighting & Small Power Cables < 1000 V-0.6/1 kV, Cu/XLPE/SWA/PVC- 5C x 10 mm <sup>2</sup> 0.6/1Kv 5CX10MM Cu (CI2)/XLPE/SWA/PVC Drum D10-6141	610	106	68	106	796.00	734.00	DRUM
16	25	27-101-2731	CONTROL CABLES <1000V, 0.6/1 KV, Cu/XLPE/SWA/PVC, 12C x 2.5 mm <sup>2</sup> 0.6/1Kv 12CX2.5MM Cu(CI2)/XLPE/PVC/SWA/PVC Drum D12-5863	1020	180	100	180	980.00	885.00	DRUM
17	25	27-101-2731	CONTROL CABLES <1000V, 0.6/1 KV, Cu/XLPE/SWA/PVC, 12C x 2.5 mm <sup>2</sup> 0.6/1Kv 12CX2.5MM Cu(CI2)/XLPE/PVC/SWA/PVC Drum D12-5864	1020	180	100	180	984.00	889.00	DRUM
18	25	27-101-2731	CONTROL CABLES <1000V, 0.6/1 KV, Cu/XLPE/SWA/PVC, 12C x 2.5 mm <sup>2</sup> 0.6/1Kv 12CX2.5MM Cu(CI2)/XLPE/PVC/SWA/PVC DRUM D12-5866	1020	180	100	180	987.00	892.00	DRUM
19	25	27-101-2731	CONTROL CABLES <1000V, 0.6/1 KV, Cu/XLPE/SWA/PVC, 12C x 2.5 mm <sup>2</sup> 0.6/1Kv 12CX2.5MM Cu(CI2)/XLPE/PVC/SWA/PVC DRUM D12-5867	1020	180	100	180	985.00	890.00	DRUM
20	17	27-100-4016	SLOTTED CHANNEL 100 X 50 X 7.5 MM THICK X 3 MTR LENGTH -HDG HDG C - Channel 100 x50x6mm x 6 mtrs	8	600	22	11	495.00	500.00	BUNDLE
21	24	27-100-4023	Long Barrel Lugs 400x16MM suitable for 6/10KV 400-16 HV — CEDL/AFTEC	120	60	55	55	80.00	100.00	Wooden Crate
		27-100-4023	Long Barrel Lugs 400x16MM suitable for 6/10KV 400-16 -CEDL/AFTEC							
		27-100-4023	Long Barrel Lugs 400x16MM suitable for 6/10KV 400-16 HV — CEDL/AFTEC							
		27-100-4023	Long Barrel Lugs 400x16MM suitable for 6/10KV 400-16 HV —CEDL/AFTEC							
22	16	27-100-4015	ATEX & IECEx certified Panel in Aluminium alloy enclosures suitable for Zone 1 & 2 Area EJB series enclosure Exd IIB+H2 T4 IP66 certified suitable for Zone 1 and Zone 2 with body and cover in Copper free aluminium alloy, Painted Grey 9006 Rated Input Voltage : 400VAC Ingress Protection : IP66 Hazardous area Installation : Zone 1/2 (Gases) - Zone 21/22 (Dusts) complete with: Components:- 1x 2A 2P MCB with External operating handle 20x 10sqmm terminal mounted on DIN rail for outgoing Cable entries:- 2x M25 cable entry at Bottom(Cable detail to be confirmed by client) 1x M20 cable entry at Bottom(Cable detail to be confirmed by client) Neatly assembled,wired, ATEX certified and labelled with tag <u>C/w 12 ea M20 stopping plugs</u> <u>24 ea M25 Stopping plugs</u>	12	120	80	65	255.00	265.00	PALLET





