

Packing List Number: ZCQT202306393-1
Invoice Date: Thursday, May 18, 2023
Payment Terms: Net 30 Days
Currency: USD

Customer PO No: PO #26209
RFQ/PR Ref No. : TAQA-LVO-2023-1117
INCO Terms 2020: EXW- UAE
Quotation No: ZCQT202306393

Seller / Exporter:
ZARAWA COMPANY
 Italian Village 1, Villa 471, Erbil, Iraq
Attn: Ardalan Khurshid
Mobile: 00964 983 4000
Email: ardalan.khurshid@zarawa.net

Invoice To:
 TAQA Atrush B.V.
 Empire World . Empire Business Complex CI, Kurdistan Region of Iraq
Attn: Asso Kordo
Mobile: 00964 780 915 2915
Email: Asso.Kordo@taqa.com

Consignee:
 TAQA Atrush B.V.
 Empire World . Empire Business Complex CI, Kurdistan Region of Iraq
 Attn: Asso Kordo
 Mobile: 00964 780 915 2915
Email: Asso.Kordo@taqa.com

| SL. NO.: | DESCRIPTION | Qty (NOS) | UOM | HS CODE | Country of Origin | L(CM) | W(CM) | H(CM) | CBM | U. WGHT / KG | NET WGHT / KG |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------|----------|-------------------|-------|-------|-------|------|--------------|---------------|
| | PIPE BUNDLE #1 | | | | | | | | | | |
| 38 | PIPE, 10", S-40, CLASS 300#SMLS, BE, CARBON STEEL, DIMENSIONS TO ASME B36.10M, MATERIALS TO ASTM 106 Gr. B, NONE SOUR SERVICE, PIPE CLASS A30CN.(6 mtr long) | 5 | EACH | 73041900 | UKRAINE | 55 | 85 | 600 | 2.81 | 361.86 | 1,809.30 |
| | PIPE BUNDLE #2 | | | | | | | | | | |
| 38 | PIPE, 10", S-40, CLASS 300#SMLS, BE, CARBON STEEL, DIMENSIONS TO ASME B36.10M, MATERIALS TO ASTM 106 Gr. B, NONE SOUR SERVICE, PIPE CLASS A30CN.(6 mtr long) | 4 | EACH | 73041900 | UKRAINE | 55 | 85 | 600 | 2.81 | 361.86 | 1,447.44 |
| 39 | PIPE, 8", S-40, CLASS 300#SMLS, BE, CARBON STEEL, DIMENSIONS TO ASME B36.10M, MATERIALS TO ASTM 106 Gr. B, NONE SOUR SERVICE, PIPE CLASS A30CN.(6 mtr long) | 1 | EACH | 73041900 | UKRAINE | | | | | 255.30 | 255.30 |
| | PIPE BUNDLE #3 | | | | | | | | | | |

| SL. NO.: | DESCRIPTION | Qty (NOS) | UOM | HS CODE | Country of Origin | L(CM) | W(CM) | H(CM) | CBM | U. WGHT / KG | NET WGHT / KG |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------|----------|-------------------|-------|-------|-------|------|--------------|---------------|
| 24 | PIPE, 1 1/2", S-160, CLASS 150#SMLS, BE, CARBON STEEL, DIMENSIONS TO ASME B36.10M, MATERIALS TO ASTM 106 Gr. B, SOUR SERVICE, PIPE CLASS A15CS, NACE MR-01-75/ISO-15156(6.7 MTRS) | 1 | EACH | 73041900 | SPAIN | 10 | 10 | 670 | 0.07 | 43.50 | 43.50 |
| 25 | PIPE, 1/2", S-XXS, CLASS 150#SMLS, BE, CARBON STEEL, DIMENSIONS TO ASME B36.10M, MATERIALS TO ASTM 106 Gr. B, SOUR SERVICE, PIPE CLASS A15DS, NACE MR-01-75/ISO-15156(11.8 MTRS) | 2 | EACH | 73041900 | JAPAN | | | | | 15.30 | 30.60 |
| WOODEN BOX #1 | | | | | | | | | | | |
| 10 | CONCENTRIC PIPE REDUCER, 1" X 3/4", S-160 X S-160, SMLS, BE, CARBON STEEL, DIMENSIONS TO ASME B16.9, MATERIALS TO ASTM 234 GR. WPB, SOUR SERVICE, PIPE CLASS A15CS, NACE MR-01-75/ISO-15156 | 3 | EACH | 73079900 | THAILAND | 115 | 112 | 112 | 1.44 | 0.40 | 1.20 |
| 11 | CONCENTRIC PIPE REDUCER, 8" X 4", S-20 X S-40, SMLS, BE, CARBON STEEL, DIMENSIONS TO ASME B16.9, MATERIALS TO ASTM 234 GR. WPB, SOUR SERVICE, PIPE CLASS A15CS, NACE MR-01-75/ISO-15156 | 2 | EACH | 73079900 | THAILAND | | | | | 7.50 | 15.00 |
| 12 | CONCENTRIC PIPE REDUCER, 1" X 1/2", S-XXS / S-XXS, SMLS, BE, CARBON STEEL, DIMENSIONS TO ASME B16.9, MATERIALS TO ASTM 234 GR. WPB, SOUR SERVICE, PIPE CLASS A15DS, NACE MR-01-75/ISO-15156 | 2 | EACH | 73079900 | THAILAND | | | | | 0.35 | 0.70 |
| 13 | WELDOLET, 10" X 2", S-20 X S-80, MSS SP-97, BE, CARBON STEEL, MATERIALS TO ASTM A105N, SOUR SERVICE, PIPE CLASS A15CS, NACE MR-01-75/ISO-15156 | 2 | EACH | 73079900 | FRANCE | | | | | 0.90 | 1.80 |
| 15 | WELD NECK FLANGE, 1/2", S-XXS, CLASS 150#RF, CARBON STEEL, DIMENSIONS TO ASME B16.5, MATERIALS TO ASTM A105N, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 2 | EACH | 73079100 | SPAIN | | | | | 0.60 | 1.20 |
| 16 | WELD NECK FLANGE, 1/2", S-XXS, CLASS 300#RF, CARBON STEEL, DIMENSIONS TO ASME B16.5, MATERIALS TO ASTM A105N, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 2 | EACH | 73079100 | FRANCE | | | | | 0.90 | 1.80 |
| 17 | WELD NECK FLANGE, 3/4", S-160, CLASS 150#RF, CARBON STEEL, DIMENSIONS TO ASME B16.5, MATERIALS TO ASTM A105N, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 3 | EACH | 73079100 | SPAIN | | | | | 0.80 | 2.40 |
| 26 | SPECTACLE BLIND FLANGE, 1" 150# RF, ASME B16.48, CARBON STEEL, ASTM A515 A516 GR.70, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 2 | EACH | 73079900 | FRANCE | | | | | 0.30 | 0.60 |
| 28 | 90 DEG. ELBOW 1.5D, 1/2", S-XXS, SMLS, LONG RADIUS, BE, CARBON STEEL, DIMENSIONS TO ASME B16.9, MATERIALS TO ASTM 234 Gr.WPB, SOUR SERVICE, PIPE CLASS A15DS, NACE MR-01-75/ISO-15156 | 9 | EACH | 73079900 | KOREA | | | | | 0.50 | 4.50 |
| 29 | 90 DEG. ELBOW 1.5D, 4", S-40, SMLS, LONG RADIUS, BE, CARBON STEEL, DIMENSIONS TO ASME B16.9, MATERIALS TO ASTM 234 Gr.WPB, SOUR SERVICE, PIPE CLASS A15DS, NACE MR-01-75/ISO-15156 | 5 | EACH | 73079900 | THAILAND | | | | | 3.50 | 17.50 |
| 29 | 90 DEG. ELBOW 1.5D, 4", S-40, SMLS, LONG RADIUS, BE, CARBON STEEL, DIMENSIONS TO ASME B16.9, MATERIALS TO ASTM 234 Gr.WPB, SOUR SERVICE, PIPE CLASS A15DS, NACE MR-01-75/ISO-15156 | 1 | EACH | 73079900 | FRANCE | | | | | 3.50 | 3.50 |

| SL. NO.: | DESCRIPTION | Qty (NOS) | UOM | HS CODE | Country of Origin | L(CM) | W(CM) | H(CM) | CBM | U. WGHT / KG | NET WGHT / KG |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------|----------|-------------------|-------|-------|-------|-----|--------------|---------------|
| 30 | REDUCER, PIPE TEE, 2" X 3/4", S-80 X S-80, SMLS, BE, CARBON STEEL, DIMENSIONS TO ASME B16.9, MATERIALS TO ASTM 234 GR. WPB, SOUR SERVICE, PIPE CLASS A15CS, NACE MR-01-75/ISO-15156 | 1 | EACH | 73079900 | THAILAND | | | | | 3.00 | 3.00 |
| 31 | WELD NECK FLANGE, 3/4", S-80, CLASS 150#RF, CARBON STEEL, DIMENSIONS TO ASME B16.5, MATERIALS TO ASTM A105N, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 2 | EACH | 73079100 | ITALY | | | | | 0.80 | 1.60 |
| 32 | Stainless Steel Swagelok Tube Fitting, Male Connector, 3/8 in. Tube OD x 1/2 in. Male NPT. Part #: SS-600-1-8 | 2 | EACH | 73072200 | USA | | | | | 0.10 | 0.20 |
| 33 | Stainless Steel Pipe Fitting, Tee, 1/2 in. Female NPT Part #: SS-8-T | 2 | EACH | 73072200 | USA | | | | | 0.10 | 0.20 |
| 34-OPTION 2 | Stainless Steel Needle Valve, 1/2 in. Male NPT x 1/2 in. Female NPT, 0.20 in. (5.0 mm) Orifice Part #: SS-4GUM8-F8 (MALE X FEMALE NPT) | 2 | EACH | 73072200 | USA | | | | | 0.10 | 0.20 |
| 35 | Stainless Steel Pipe Fitting, Hex Nipple, 1/2 in. Male NPT Part #: SS-8-HN | 3 | EACH | 73072200 | USA | | | | | 0.10 | 0.30 |
| 36 | Carbon Steel A105N Forged Hex Nipple, Pipe Fittings 3/4" Male Pipe NPT x 3/4" Male Pipe NPT, Schedule 160 3000# | 2 | EACH | 73079900 | FRANCE | | | | | 0.20 | 0.40 |
| 37 | 3/4" Pipe Fitting Forged Carbon Steel A105N Full Coupling female NPT Threaded, Schedule 160 3000# | 2 | EACH | 73079900 | FRANCE | | | | | 0.50 | 1.00 |
| 40 | CONCENTRIC PIPE REDUCER, 10" X 8", S-40 X S-40, SMLS, BE, CARBON STEEL, DIMENSIONS TO ASME B16.9, MATERIALS TO ASTM 234 GR. WPB, PIPE CLASS A30CN, NONE SOUR SERVICE. | 2 | EACH | 73079900 | THAILAND | | | | | 12.00 | 24.00 |
| 43 | 90 DEG. ELBOW 1.5D, 10", S-40, SMLS, LONG RADIUS, BE, CARBON STEEL, DIMENSIONS TO ASME B16.9, MATERIALS TO ASTM 234 Gr.WPB, NONE SOUR SERVICE, PIPE CLASS A30CN. | 12 | EACH | 73079900 | THAILAND | | | | | 38.00 | 456.00 |
| 44 | 90 DEG. ELBOW 1.5D, 8", S-40, SMLS, LONG RADIUS, BE, CARBON STEEL, DIMENSIONS TO ASME B16.9, MATERIALS TO ASTM 234 Gr.WPB, NONE SOUR SERVICE, PIPE CLASS A30CN. | 2 | EACH | 73079900 | THAILAND | | | | | 21.00 | 42.00 |

| SL. NO.: | DESCRIPTION | Qty (NOS) | UOM | HS CODE | Country of Origin | L(CM) | W(CM) | H(CM) | CBM | U. WGHT / KG | NET WGHT / KG |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------|----------|-------------------|-------|-------|-------|-----|--------------|---------------|
| 45 | 45 DEG. ELBOW 1.5D, 10", S-40, SMLS, BE, CARBON STEEL, DIMENSIONS TO ASME B16.9, MATERIALS TO ASTM 234 Gr.WPB, NONE SOUR SERVICE, PIPE CLASS A30CN. | 2 | EACH | 73079900 | KOREA | | | | | 24.00 | 48.00 |
| | WOODEN PALLET #1 | | | | | | | | | | |
| 1 | STUD BOLTS, 1/2" x 75mm LG, ASTM A193 GR.B7M, ASTM A194 GR.7M, ASME b18.2.1 Fully UNC Threaded Stud Bolts and ASME B18.2.2 Heavy Hex 2 Nuts, thread fit for bolts to the class 2A requirements of ASME B1.1 and nuts to class 2B requirements, hot-dipped galvanized to ASTM F2329 / NACE MR-01- 75-ISO-15156. | 36 | EACH | 73181500 | UAE | | | | | 0.06 | 2.30 |
| 2 | STUD BOLTS, 3/4" x 240mm LG, ASTM A193 GR.B7M, ASTM A194 GR.7M, ASME b18.2.1 Fully UNC Threaded Stud Bolts and ASME B18.2.2 Heavy Hex 2 Nuts, thread fit for bolts to the class 2A requirements of ASME B1.1 and nuts to class 2B requirements, hot-dipped galvanized to ASTM F2329 / NACE MR-01- 75-ISO-15156. | 16 | EACH | 73181500 | UAE | | | | | 0.80 | 12.80 |
| 3 | STUD BOLTS, 7/8" x 90mm LG, ASTM A193 GR.B7M, ASTM A194 GR.7M, ASME b18.2.1 Fully UNC Threaded Stud Bolts and ASME B18.2.2 Heavy Hex 2 Nuts, thread fit for bolts to the class 2A requirements of ASME B1.1 and nuts to class 2B requirements, hot-dipped galvanized to ASTM F2329 / NACE MR-01- 75-ISO-15156. | 36 | EACH | 73181500 | UAE | | | | | 0.30 | 10.80 |
| 4 | STUD BOLTS, 5/8" x 65mm LG, ASTM A193 GR.B7M, ASTM A194 GR.7M, ASME b18.2.1 Fully UNC Threaded Stud Bolts and ASME B18.2.2 Heavy Hex 2 Nuts, thread fit for bolts to the class 2A requirements of ASME B1.1 and nuts to class 2B requirements, hot-dipped galvanized to ASTM F2329 / NACE MR-01- 75-ISO-15156. | 24 | EACH | 73181500 | UAE | | | | | 0.10 | 2.40 |
| 5 | STUD BOLTS, 7/8" x 145mm LG, ASTM A193 GR.B7M, ASTM A194 GR.7M, ASME b18.2.1 Fully UNC Threaded Stud Bolts and ASME B18.2.2 Heavy Hex 2 Nuts, thread fit for bolts to the class 2A requirements of ASME B1.1 and nuts to class 2B requirements, hot-dipped galvanized to ASTM F2329 / NACE MR-01- 75-ISO-15156. | 20 | EACH | 73181500 | UAE | | | | | 0.50 | 10.00 |
| 6 | STUD BOLTS, 3/4" X 125 mm LG, ASTM A193 GR.B7M, ASTM A194 GR.7M, ASME b18.2.1 Fully UNC Threaded Stud Bolts and ASME B18.2.2 Heavy Hex 2 Nuts, thread fit for bolts to the class 2A requirements of ASME B1.1 and nuts to class 2B requirements, hot-dipped galvanized to ASTM F2329 / NACE MR-01- 75-ISO-15156. | 36 | EACH | 73181500 | UAE | | | | | 0.30 | 10.80 |
| 7 | STUD BOLTS, 5/8" X 80 mm LG, ASTM A193 GR.B7M, ASTM A194 GR.7M, ASME b18.2.1 Fully UNC Threaded Stud Bolts and ASME B18.2.2 Heavy Hex 2 Nuts, thread fit for bolts to the class 2A requirements of ASME B1.1 and nuts to class 2B requirements, hot-dipped galvanized to ASTM F2329 / NACE MR-01- 75-ISO-15156. | 24 | EACH | 73181500 | UAE | | | | | 0.20 | 4.80 |
| 8 | STUD BOLTS, 7/8" X 120 mm LG, ASTM A193 GR.B7M, ASTM A194 GR.7M, ASME b18.2.1 Fully UNC Threaded Stud Bolts and ASME B18.2.2 Heavy Hex 2 Nuts, thread fit for bolts to the class 2A requirements of ASME B1.1 and nuts to class 2B requirements, hot-dipped galvanized to ASTM F2329 / NACE MR-01- 75-ISO-15156. | 36 | EACH | 73181500 | UAE | | | | | 0.40 | 14.40 |
| 9 | STUD BOLTS, 7/8" X 125 mm LG, ASTM A193 GR.B7M, ASTM A194 GR.7M, ASME b18.2.1 Fully UNC Threaded Stud Bolts and ASME B18.2.2 Heavy Hex 2 Nuts, thread fit for bolts to the class 2A requirements of ASME B1.1 and nuts to class 2B requirements, hot-dipped galvanized to ASTM F2329 / NACE MR-01- 75-ISO-15156. | 24 | EACH | 73181500 | UAE | | | | | 0.35 | 8.40 |

| SL. NO.: | DESCRIPTION | Qty (NOS) | UOM | HS CODE | Country of Origin | L(CM) | W(CM) | H(CM) | CBM | U. WGHT / KG | NET WGHT / KG |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------|----------|-------------------|-------|-------|-------|------|--------------|---------------|
| 14 | WELD NECK FLANGE, 4", S-40, CLASS 300#RF, CARBON STEEL, DIMENSIONS TO ASME B16.5, MATERIALS TO ASTM A105N, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 3 | EACH | 73079100 | SPAIN | 140 | 88 | 55 | 0.68 | 13.00 | 39.00 |
| 18 | WELD NECK FLANGE, 6", S-40, CLASS 150#RF, CARBON STEEL, DIMENSIONS TO ASME B16.5, MATERIALS TO ASTM A105N, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 3 | EACH | 73079100 | ITALY | | | | | 12.00 | 36.00 |
| 19 | WELD NECK FLANGE WITH JACK SCREW, 10", S-20, CLASS 150#RF, CARBON STEEL, DIMENSIONS TO ASME B16.5, MATERIALS TO ASTM A105N, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 1 | EACH | 73079100 | SPAIN | | | | | 26.00 | 26.00 |
| 20 | WELD NECK FLANGE WITHWITH JACK SCREW, 8", S-20, CLASS 150#RF, CARBON STEEL, DIMENSIONS TO ASME B16.5, MATERIALS TO ASTM A105N, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 1 | EACH | 73079100 | SPAIN | | | | | 24.00 | 24.00 |
| 21 | INSULATING GASKET KIT, 2", CLASS 300#, TYPE F, RF, RETAINER G10 WITH SS316 CORE, SS316 SPRING ENERGIZED PTFE SEAL, G10 SLEEVES AND INSULATING WASHERS, CSZP LOCKING WASHERS, ASME B16.5, 3.2mm THK, SOUR SERVICE, NACE MR-01-75/ISO-15156. (We offer 2" x 300# - Flange Insulating Kit, consists of RF (Type F) kit containing G10 retainer with SS316 core & SS316 spring energised PTFE seal, G10 Sleeves, G10 Insulating Washers & MSZP Locking Washers, to suit ASME B16.5 Flange GASKET IS 6.20 MM THK) | 3 | EACH | 84841000 | UAE | | | | | 1.00 | 3.00 |
| 22 | GASKET, SPWD, 3/4",CLASS 300LB RF,3.2 MM COMPR, SS316 WINDING & GRAPHITE FILLER,SS INNER RING,SS OUTER RING,ASME B16.20, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 6 | EACH | 84841000 | UAE | | | | | 0.05 | 0.30 |
| 23 | GASKET, SPWD, 1 1/2",CLASS 150LB RF,3.2 MM COMPR, SS316 WINDING & GRAPHITE FILLER,SS INNER RING,SS OUTER RING,ASME B16.20, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 4 | EACH | 84841000 | UAE | | | | | 0.20 | 0.80 |
| 27 | SPECTACLE BLIND FLANGE, 10" 150# RF, ASME B16.48, CARBON STEEL, ASTM A515 A516 GR.70, SOUR SERVICE, NACE MR-01-75/ISO-15156 | 1 | EACH | 73079900 | FRANCE | | | | | 16.00 | 16.00 |
| 41 | WELD NECK FLANGE, 10", S-40, CLASS 300#RF, CARBON STEEL, DIMENSIONS TO ASME B16.5, MATERIALS TO ASTM A105N, NONE SOUR SERVICE. | 2 | EACH | 73079100 | KOREA | | | | | 48.00 | 96.00 |
| 42 | WELD NECK FLANGE, 8", S-40, CLASS 300#RF, CARBON STEEL, DIMENSIONS TO ASME B16.5, MATERIALS TO ASTM A105N, NONE SOUR SERVICE. | 2 | EACH | 73079100 | SPAIN | | | | | 33.00 | 66.00 |
| 46 | GASKET, SPWD, 10",CLASS 300LB RF,3.2 MM COMPR, SS316 WINDING & GRAPHITE FILLER,SS INNER RING,SS OUTER RING,ASME B16.20, SOUR SERVICE, NACE MR-01-75/ISO-15156. | 8 | EACH | 84841000 | UAE | 140 | 88 | 55 | 0.68 | 0.90 | 7.20 |
| 47 | GASKET, SPWD, 8",CLASS 300LB RF,3.2 MM COMPR, SS316 WINDING & GRAPHITE FILLER,SS INNER RING,SS OUTER RING,ASME B16.20, SOUR SERVICE, NACE MR-01-75/ISO-15156. | 8 | EACH | 84841000 | UAE | | | | | 0.80 | 6.40 |

| SL. NO.: | DESCRIPTION | Qty (NOS) | UOM | HS CODE | Country of Origin | L(CM) | W(CM) | H(CM) | CBM | U. WGHT / KG | NET WGHT / KG |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------|-------------------|----------------------|-------|----------|-----------|-------|------------------|---------------|
| 48 | STUD BOLTS, 7/8" X 145 mm LG, ASTM A193 GR.B7, ASTM A194 GR.2H, ASME b18.2.1 Fully UNC Threaded Stud Bolts and ASME B18.2.2 Heavy Hex 2 Nuts, thread fit for bolts to the class 2A requirements of ASME B1.1 and nuts to class 2B requirements, hot-dipped galvanized to ASTM F2329. | 36 | EACH | 73181500 | UAE | | | | | 0.38 | 13.82 |
| | | | | | | | | | | | |
| | | 410 | NOS. | GROSS WEIGHT(KGS) | | | 4,674.00 | TOTAL CBM | 7.797 | NET WEIGHT (KGS) | 4,624.47 |
| TOTAL NET WEIGHT | | | | | | | | | | 4,624.47 | KGS |
| TOTAL GROSS WEIGHT | | | | | | | | | | 4,674.00 | KGS |
| TOTAL CBM | | | | | | | | | | 7.797 | CBM |
| TOTAL NUMBER OF PCS | | | | | | | | | | 410.00 | NOS |

| | |
|-------------------------------------------------------------------|--------------------------------------------|
| TOTAL NET WEIGHT : 4624.47 Kgs | |
| TOTAL GROSS WEIGHT : 4674.00 kgs | |
| TOTAL VOLUME : 7.797 CBM | |
| DIMENSIONS | : AS MENTIONED AGAINST EACH PACKAGE |
| NO. OF PACKAGES : 1 WOODEN BOX+WOODEN PALLET+3 PIPE BUNDLE | |
| HS CODE DETAILS :- | |
| GASKET: 84841000; Stud Bolt:- 73181500 ; FITTINGS: 73072200 | |
| CS Pipe:-73041900; CS Flanges:- 73079100 | |

Ardalan Othman
Supply Chain Manager

